



Tylös new doors for disabled have a 90 cm width of opening and meet with the EU standards.

New doors for disabled persons.

The new sauna door DGM-101-210 spruce and steam door 101 G have been broadened to meet with the new EU standards on doors for disabled persons. In practice this means that the width of opening has been broadened to 90 cm on both doors. A disabled friendly threshold is included with the steam door 101 G and is available as optional accessory for the DGM-101-210 spruce.

The sauna door DGM-101-210 spruce and the steam door 101 G replace the sauna door DGM-93T-210 spruce and the steam door 99 G, which will be phased out.



A threshold is standard for the steam door 101 G and is available as an optional accessory for the DGM-101-210 spruce.



Sauna door DGM-101-210 spruce

Door of tinted, tempered safety glass set in a frame of spruce. Sturdy aluminium hinges concealed beneath a decorative, stainless steel housing. Comes complete with silicone sealing strip. An extra wide opening and no sill for easy wheelchair access. The door leaf is reinforced with a protective, stainless steel edging strip. Frame size: 2100 x 1012 x 68 mm, width of opening 900 mm.

Steam Door 101 G

Specially adapted for wheelchair access with extra wide opening and flat threshold. Frame dimensions: 1870 x 1010 x 60 mm. Width of opening 900 mm.

**Inspirational wellness
experiences & equipment**

**YOUR AUTHORISED
DEALER AND INSTALLER
FOR THE UK**

**+44 (0)1428 713 185
sales@leisurequip.com**