



# Introducing the Panacea steam bath

The Panacea steam bath is designed to integrate well into private homes or commercial settings alike. Manifesting itself through carefully appointed materials and a restrained design, Panacea gives a strong, yet exclusive impression. With its custom-made appearance and innovative solutions, the user indulges in a therapeutic sensation, surrounded by opaque glass walls and Corian® benches. With several personal settings available, the user has the option to remotely control temperature, light, aromatherapy, steam and more. Like the rest of the interior, the steam outlet is also made out of glass and Corian®, which, in addition to being extremely quiet, also functions as an aesthetic feature. With its' near seamless construction and choice of materials, the Panacea steam bath is made with easy maintenance and hygiene in mind.

# Use the Panacea steam bath configurator

In line with the ingenious and modular construction, we have outlined four easy steps in order for you to easily configure your Panacea steam bath. Follow the steps below and finish by e-mailing the result to order@tylo.se.

Step Step Step Step 4
Size and model Choose glass sections Choose options Panacea

The Panacea steam bath comes in 7 different sizes and 15 different models. Choose the one that best suits your needs and fit the measurements of the available space.


The Panacea steam bath comes equipped with glass wall sections as shown in the layouts on page 4-6. As a no cost option, you have the possibility to replace the standard sections with either smoke colored, tinted or black glass.

The Panacea steam bath comes with a whole host of available options to make the steam bath experience an even more pleasurable one. On page 7 you will find a selection of convenient and desirable optional features.

E-mail the specification for the Panacea steam bath that you have just configured to order@tylo.se and your order is complete.

# Take a look at your options

On the following pages all the different layouts, wall sections and bench configurations are presented.



Smoke colored glass door with threshold Door hung to the right or the left (800, 1000)



Smoke colored glass with threshold Door hung to the right\* (800, 1000)



Glass door without threshold Door hung to the right or the left (800, 1000)



Mood lit back section with steam column including steam generator and shower (800)







Transparent smoke colored glass



Opaque pale glass/basic (pale tint on the inside, non transparent) (400, 800)




Opaque pale glass/black glass (pale tint on the inside, non transparent) (400, 800)

<sup>\*</sup> Reversed layout also reverses position of door. Applicable on models 1309 t and 1309 tx/t.


# Panacea steam bath - door 800 and Corian® benches

See below for all the standard plans for the Panacea steam bath and the different wall sections available as no cost options.




# 1717 Black 1B

Item no: 9607 5070 Meas: 1730mm x 1730mm No vent: 6kW/ with vent: 6kW




# 2117 Black 1B

Item no: 9607 5074 Meas: 2130mm x 1730mm No vent: 6kW/ with vent: 6kW




# 2117 Black 2B

Item no: 9607 5076 Meas: 2130mm x 1730mm No vent: 6kW/ with vent: 6kW



## 2521 Black 2B

Item no: 9607 5080 Meas: 2530mm x 2130mm No vent: 6kW/ with vent: 9kW




# Item no: 9607 5084

Meas: 2530mm x 2530mm No vent: 9kW/ with vent: 9kW


# Panacea steam bath - door 1000 and Corian® benches

To further enhance versatility and accessibility of the Panacea steam bath, we offer a wheel chair access version with a wider door opening. See below for plans and the different wall sections available as no cost options.



# 1717 Black 1B WD


Item no: 9607 5072 Meas: 1730mm x 1730mm No vent: 6kW/ with vent: 6kW



#### 2117 Black 1B WD

Item no: 9607 5078 Meas: 2130mm x 1730mm No vent: 6kW/ with vent: 6kW

4




# A) B) C) 1145 A) B) C) 24EZ A) B) O) 930

### 2521 Black 2B WD

Item no: 9607 5082 Meas: 2530mm x 2130mm No vent: 6kW/ with vent: 9kW

### 2525 Black 2B WD


Item no: 9607 5086 Meas: 2530mm x 2530mm No vent: 9kW/ with vent: 9kW




# Panacea steam bath models 1309 and 1709

For external steam generator VB


See below for all the standard plans for the compact Panacea steam bath 1309 and 1709. Like the larger models they have different wall sections available as no cost options. The portable and adjustable benches are made of Corian®. Also available with shower tray.



Item no: 9607 5020 Meas: 1330mm x 930mm No vent: 2.2kW/ with vent: 4.5kW




Item no: 9607 5022 Meas: 1730mm x 930mm No vent: 4.5kW/ with vent: 4.5kW




Item no: 9607 5026 Meas: 1730mm x 930mm No vent: 4.5kW/ with vent: 4.5kW

# Panacea steam bath models 1309 and 1709 with steam column


See below for all the standard plans for the compact Panacea steam bath 1309 and 1709. In addition to a choice of several different wall sections as a no cost options and include steam generator and hand & head shower. Also available with shower tray.




Item no: 9607 5028 Meas: 1330mm x 930mm No vent: 2.2kW/ with vent: 4.5kW



1709 tx Black Item no: 9607 5034 Meas: 1730mm x 930mm No vent: 4.5kW/ with vent: 4.5kW



Item no: 9607 5030 Meas: 1730mm x 930mm No vent: 4.5kW/ with vent: 4.5kW




on the inside, non transparent)

# Panacea steam bath optional extras

The Panacea steam bath comes with a whole host of available options to make the steam bath experience an even more pleasurable one. On this page you will find products that are specifically made for perfect integration in the Panacea steam bath.





# Benches

The benches developed for the Panacea steam bath are made from Corian® – a durable, elegant and hygienic material that through its physical properties are extremely suitable for the Panacea steam bath. The benches are sold separately if extra ones are desired, either adding to the ones included in the steam bath or to enhance the space surrounding the steam bath. There are four different sizes available.

Use the specially developed cleaning kit for Tylö's Corian benches. (Cleaning set Corian item no 9090 3055)

#### Stool white Corian 166

Item no: 9607 5060 Length: 660 mm Depth: 310 mm Height: 450 mm

#### Bench 1945 Panacea


Item no: 9607 5052 Length: 1945 mm Depth: 600 mm Height: 450 mm

### Bench 1545 Panacea

Item no: 9607 5050 Length: 1545 mm Depth: 600 mm Height: 450 mm

#### Bench 2345 Panacea

Item no: 9607 5054 Length: 2345 mm Depth: 600 mm Height: 450 mm



# Anti-condensation ceiling

In environments where the Panacea steam bath is used for prolonged periods of time, we recommend installing the heated condensation-reducing ceiling in order to make the steam bath experience an ultimate one.

Model and item no:

1717 9607 5090 2117 9607 5092 2521 9607 5094 2525 9607 5096



# Sound system

To match the exclusive feel of the Panacea steam bath, we offer a groundbreaking and completely invisible sound system as a possible upgrade. The Microstereo Steam system is a complete set consisting of two speakers and one amplifier, fully compatible with all popular sound formats via air play from your own sound device. The system is also equipped with a FM receiver and two aux ports.



We recommend the powerful VA steam generator to all models except the smaller models of the Panacea steam baths. It is fully automatic and has a large water tank for extended use. The VA steam generator is compatible with all Tylö remote control panels.



# Steam generator VB

This compact steam generator is of the same high quality and durability as the VA generator. The VB steam generator is recommended for the 1309 and 1709 steam room models.



# Easy assembly and installation

The Panacea steam bath is constructed with convenience and easy installation in mind. Thanks to modular thinking and a unique assembly system, patented by Tylö, the steam bath sections are simply snapped together without any further fixtures or tools required. The bottom frame of the steam bath is equipped with adjustable feet and installation is usually completed within hours rather than days. For improved performance and steam distribution, we recommend installing a heated floor of the steam bath as well as making sure that the space is well ventilated. For run times in excess of three hours, we recommend installing an insulated ceiling in the steam bath. For run times in excess of five hours, the heated ceiling option is recommended for optimal performance.

Inspirational wellness experiences & equipment

# YOUR AUTHORISED DEALER AND INSTALLER FOR THE UK

+44 (0)1428 713 185

sales@leisurequip.com