

Wood burning heater Harvia Linear 22 GreenFlame ES

WKLI22GESM

An elegant wood-burning stove for medium-sized saunas, Harvia Linear 22 GreenFlame ensures a clean and stable fire behind a large glass door, which creates a relaxing atmosphere in the sauna. You can now bathe with lower emissions than ever before.

Advantages

- Linear GreenFlame is a wood-burning stove with a large glass door and advanced combustion technology to ensure a clean burn and long service life.
- 20% lower particulate emissions and 70% lower carbon monoxide emissions.
- 90% larger glass door.
- The matte black colour and elegant design create a modern look in the sauna.
- Heat your bathwater efficiently with the Harvia Linear GreenFlame water tank models. The positioning of the water tank varies by model, ensuring that you can select the best solution for your sauna.
 ES, water tank at the front
 LS, water tank on the left side
 RS, water tank on the right side



Features

Main material : Steel

H x W x D : 770.0 x 450.0 x 660.0 mm

Net weight (kg) : 60.4

Stone amount (kg) : 40.0

ID	GTIN	Power	Sauna room size min - max m3
WKLI22GESM	6417659029674	15.7 kW	9.0-18.0



Spare parts

Product	ID	Pcs
Ashpan ES/SL	Z2ES-125	1
Furnace grate	ZKIP-10	1
Connection pipe	ZKIP-130	1
Handle for ash box	ZKIP-680	
Stove door with glass	ZKIP-690	
Water container lid 22 ES	ZROST-618	1
Handle for door Legend GF	WX687	
	ZVS-114	
	ZKIP-155	
Adjustable legs for LG150/SL	SPZKIP-918	
Nut Dek5280 R1/2 25mm	SPZES-250	
Water container lid 22 ES	SPZROST-618	
Hinge pin, long	SP675	
Water container faucet extension part 25	SPZES-240	
Spare part, latching pin	SP674	
Cover plate 50 mm	SPZKIP-170	
Water container 20 ES	SP035	
Air guides set Green Flame 20	SP678	
Seal for water faucet	SPZES-260	
Handle for door Legend GF	SP687	
Furnace grate 135x290mm, sauna heaters	SPZKIP-10	
	SP681	

Technical details

Technical data	Type / attribute	WKLI22GESM
	Color	Black
	Power output	15.7 kW
	Stone amount (kg)	40
Dimensions	Product width	450
	Product height	770
	Product depth (mm)	660
	Net weight (kg)	60.4
	Gross weight	63.1
	Package width	510
	Package height	790
	Package depth	750
	Water container volume	20
Connections	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	500
	Safety distance front (combustible materials)	500
	Safety distance right side (combustible materials)	400
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	400



Technical details

Technical data	Type / attribute	WKLI22GESM
	Safety distance left side non-combustible materials	100
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	380
	Safety distance (Ceiling)	1265
	Room min. height(depends on connections and therefore from output, star/delta)	2100