

# Wood burning heater Harvia Linear 22 GreenFlame LS

WKLI22GLSM

*An elegant wood-burning stove for medium-sized saunas, Harvia Linear 22 GreenFlame ensures a clean and stable fire behind a large glass door, which creates a relaxing atmosphere in the sauna. You can now bath with lower emissions than ever before.*

## Advantages

- Linear GreenFlame is a wood-burning stove with a large glass door and advanced combustion technology to ensure a clean burn and long service life.
- 20% lower particulate emissions and 70% lower carbon monoxide emissions.
- 90% larger glass door.
- The matte black colour and elegant design create a modern look in the sauna.
- Heat your bathwater efficiently with the Harvia Linear GreenFlame water tank models. The positioning of the water tank varies by model, ensuring that you can select the best solution for your sauna.  
 ES, water tank at the front  
 LS, water tank on the left side  
 RS, water tank on the right side



## Features

Main material : Steel

H x W x D : 770.0 x 550.0 x 510.0 mm

Net weight (kg) : 60.4

Stone amount (kg) : 40.0

| ID         | GTIN          | Power   | Sauna room size min - max m3 |
|------------|---------------|---------|------------------------------|
| WKLI22GLSM | 6417659029681 | 15.7 kW | 9.0-18.0                     |



## Spare parts

| Product                                  | ID          | Pcs |
|------------------------------------------|-------------|-----|
| Furnace grate                            | ZKIP-10     | 1   |
| Connection pipe                          | ZKIP-130    | 1   |
| Ashpan RST Pro                           | ZKIP-720    | 1   |
| Seal for water faucet                    | ZES-260     | 1   |
| Harvia mark                              | ZH1-170     |     |
| Handle for ash box                       | ZKIP-680    |     |
| Stove door with glass                    | ZKIP-690    |     |
| Water tap basket (RS/LS)                 | ZVS-105     |     |
| Nut Dek5280 R1/2 25mm                    | ZES-250     | 1   |
| Handle for door Legend GF                | WX687       |     |
|                                          | ZKIP-155    |     |
| 22LS/RS lid, assembled                   | ZROST-619   |     |
| Nut Dek5280 R1/2 25mm                    | SPZES-250   |     |
| Hinge pin, long                          | SP675       |     |
| Water container faucet extension part 25 | SPZES-240   |     |
| Spare part, latching pin                 | SP674       |     |
| Ashtray black, sauna heaters             | SP682       |     |
| Water container 22 RS/LS                 | SP543       |     |
| Air guides set Green Flame 20            | SP678       |     |
| Seal for water faucet                    | SPZES-260   |     |
| Handle for door Legend GF                | SP687       |     |
| Furnace grate 135x290mm, sauna heaters   | SPZKIP-10   |     |
| 22LS/RS lid, assembled                   | SPZROST-619 |     |
| Nut Dek5280 R1/2 25mm                    | ZES-250     |     |

## Technical details

| Technical data                     | Type / attribute                                     | WKLI22GLSM |
|------------------------------------|------------------------------------------------------|------------|
|                                    | Color                                                | Black      |
|                                    | Power output                                         | 15.7 kW    |
|                                    | Stone amount (kg)                                    | 40         |
|                                    |                                                      |            |
| Dimensions                         | Product width                                        | 550        |
|                                    | Product height                                       | 770        |
|                                    | Product depth (mm)                                   | 510        |
|                                    | Net weight (kg)                                      | 60.4       |
|                                    | Gross weight                                         | 63.1       |
|                                    | Package width                                        | 560        |
|                                    | Package height                                       | 760        |
|                                    | Package depth                                        | 635        |
| Connections                        | Flue connection locations                            | Back, Top  |
|                                    | Chimney connection diameter                          | 115        |
| Safety and installation dimensions | Safety distance front (non-combustible materials)    | 500        |
|                                    | Safety distance front (combustible materials)        | 500        |
|                                    | Safety distance right side (combustible materials)   | 400        |
|                                    | Safety distance right side non-combustible materials | 100        |



## Technical details

| Technical data | Type / attribute                                                               | WKLI22GLSM |
|----------------|--------------------------------------------------------------------------------|------------|
|                | Safety distance left side (combustible materials)                              | 70         |
|                | Safety distance left side non-combustible materials                            | 100        |
|                | Safety distance behind (non-combustible materials)                             | 100        |
|                | Safety distance behind (combustible materials)                                 | 380        |
|                | Safety distance (Ceiling)                                                      | 1265       |
|                | Room min. height(depends on connections and therefore from output, star/delta) | 2100       |