

Wood burning heater Harvia M3 SL black

WKM3SL

The SL models are designed for people who want to conveniently heat their sauna from another room or outside the building. The opening direction of the door can be changed, making these stoves even easier to use. SL and Boiler stoves provide great bathing in small and medium-sized saunas.



Features

Net weight (kg) : 48.0

H x W x D : 710.0 x 390.0 x 65.0 mm

Stone amount (kg) : 30.0

ID	GTIN	Power	Sauna room size min - max m3
WKM3SL	6417659001151	16.5 kW	6.0-13.0



Spare parts

Product	ID	Pcs
Ashpan ES/SL	Z2ES-125	1
Furnace grate	ZKIP-10	1
Hinge pin	ZKIP-50	1
Air-flow spoiler M1/M3	ZKIP-630	1
Harvia mark	ZH1-170	
Carton M3SL	ZKIP-560	
Front plate M3 chrome	ZKIP-620	
Handle for stove + screws	ZKIP-670	1
Handle for ash box	ZKIP-680	
Stove door with glass	ZROST-048	
	ZKIP-571	
Handle for stove + screws	SPZKIP-670	
Hinge pin	SPZKIP-50	
Air-flow spoiler M1/M3	SPZKIP-630	
Cover plate 115 mm	SPZKIP-140	1
Furnace grate 135x290mm, sauna heaters	SPZKIP-10	

Technical details

Technical data	Type / attribute	WKM3SL
	Color	Black
	Power output	16.5 kW
	Stone amount (kg)	30
Dimensions	Product width	390
	Product height	710
	Product depth (mm)	65
	Net weight (kg)	48
	Gross weight	50.6
	Package width	730
	Package height	765
	Package depth	415
Connections	Flue connection locations	Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	300
	Safety distance front (combustible materials)	300
	Safety distance right side (combustible materials)	250
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	250
	Safety distance left side non-combustible materials	100
	Safety distance behind (non-combustible materials)	300
	Safety distance behind (combustible materials)	300
	Safety distance (Ceiling)	1200
	Room min. height(depends on connections and therefore from output, star/delta)	1900

DATA SHEET

HARVIA WOOD BURNING HEATERS


HARVIA

Sauna & Spa


Technical images

1.1. Stove Parts


- A. Upper connection opening
B. Rear connection opening
C. Soot opening
D. Stove door
E. Ash box



Stove parts. **Note!** Only use replacement parts recommended by the manufacturer. Unauthorised modification of the stove is prohibited.




Safety distances (all dimensions in millimeters)



Safety distances with protective sheaths (all dimensions in millimeters)

3.4. Accessories

- A. Harvia steel chimney WHP1500.
B. Water heater VL22L. Installed on the top of the upper connection opening. When a protective sheath or other protection is used that is not large enough to protect the inflammable materials around the stove from the heat radiation of the pipe between the water heater and smoke flue, you must install a radiation cover around the pipe.
C. Radiation cover WZ020130. Installed around the smoke pipe.
D. Harvia protective sheath WX017.
E. Harvia protective sheath WL400-WL775.
F. Harvia protective bedding WX018, WL100. (not for models 20 RS/LS Pro, 36, 36 Duo, Premium VS, Linear 22 RS/LS, 22 RS/LS S).
G. Harvia protective bedding WL110 (not for models 20 ES Pro/S, Linear 22 ES, 22 ES S).
H. Angle smoke pipe. Different models.
I. Lead-through flange for smoke pipe WZ020115. Covers the edges of the flue opening and the sealing in the wall. Made of stainless steel. Consists of two parts to make it useable with differently inclined smoke pipes.
J. Masonry connector WZ011115. Connected to the flue opening, does not require other seals. The inner side already has a seal.



Accessories (all dimensions in millimeters)