



### PRODUCT CATALOGUE

+44 (0)1428 713 185

023

leisurequip.com

0

0

0

6

## Hydromassage

A massage designed for each specific part of your body




Localised pressure massage This type of massage offers continuous pressure on a specific part of the body, eliminating any muscle contractures.



Anti-stress rotation massage Performs a circular motion with its rotary jet. Ideal for combating the stresses caused by poor posture or occasional strains.







Draining rotation massage

Thanks to the impact of the water on the body, it creates a lipoactive and body-firming effect on the body.

#### Air massage

The air bubbles have a relaxing effect on all of the muscles in the body.

#### Reflex foot massage

Foot massages help to alleviate muscle and joint pains. This type of application produces a pleasurable sensation and helps you to sleep.



## Energy efficiency

## EcoSpa, the best thermal insulation for your hot tub

The EcoSpa option is a vital element that has a direct impact on the hot tub's maintenance costs. EcoSpa insulation helps to retain heat and reduce the number of hours of operation of the electric heating. A properly-insulated hot tub uses less electricity. By combining the use of an isothermal cover with the EcoSpa system, you can keep the power consumption of your hot tub down to as little as €20 per month.

#### An efficient European hot tub:

With EcoSpa, to keep the water at 37°5.28 kWhWithout EcoSpa, to keep the water at 37°10.80 kWh




 Heavy duty ABS base.
Second insulation layer.
Panel with high thermal and acoustic insulation.
Polyurethane thermal insulation layer with a density of 30%.
Insulating cover with a thickness of 100 to 130 mm.



### Nordic Insulation System

The NORDIC INSULATION SYSTEM is the insulation system designed for cold environments that ensures the improved energy efficiency of your hot tub.

The NORDIC INSULATION SYSTEM consists of 10 mm of insulating material, composed of 5 layers. This insulating layer is on the sides and curves of the cabinet, creating an insulating air chamber inside it. The insulating layer that surrounds the entire cabinet is 10 mm thick, with material composed of 5 layers:



 Aluminium
RC9 Foam + Low Density Polyethylene (wi a double layer)


- a double layer) 3 FONEX non-cross-linked polyethylene foam
- 4 RC9 Foam + Low Density Polyethylene (with a double laver)
- 5 Aluminium

### blue connect plus

#### Advanced technology connected to your smartphone

Blue Connect Plus is a smart hot tub water analyser. It controls the quality of your water and informs you about the number of products available for your hot tub. All from your smartphone.





Heat leak test performed with the Nordic Insulation System



## An entertainment centre

### Chromatherapy

Chromatherapy is the name of the non-conventional medicine which seeks to treat ailments and diseases with colours.

It has a biological and psychological effect. The coloured light uses physiological stimulus to stimulate spontaneous responses from the body.





### Aroma therapy

It provides real healing properties and completes the range of benefits created by the hot tub. The natural aromas are released from the hot tub, achieving harmony and balance.



### Music therapy

Music therapy seeks to use the properties and sound of the music to help achieve a balance of body and mind.

## Ultraviolet disinfection system in the Advanced range

The hot tubs equipped with the Ultraviolet system have a UV technology-based disinfection system which, thanks to the ultraviolet (UV) light, destroys the bacteria in the water.

## Wifi Spa Control

The Balboa Wifi Spa Control is an application for your smart device (Android <sup>™</sup> or iPhone <sup>®</sup>) which allows you to access your hot tub via the internet, wherever you are; whether you are at home or anywhere else, all that you need is a 3G, 4G or WiFi connection to be able to control your hot tub from your mobile phone or tablet.

With the Wifi Spa Control application, you can make sure that your hot tub is ready whenever you want to have a soak. Instead of having to go outside and press the buttons on the panel, the application allows you to start up the bath and change the settings of your hot tub from your mobile phone or tablet.

The application provides a complete control interface that allows you to set the temperature, activate the massage pumps and even set the filtration cycles.

The benefits of the Ultraviolet system are:

- It guarantees fresh, clean and clear water
- Efficient and safe disinfection of water
- The combined chlorine is degraded by the UV-C light
- It protects the water from germs
- It keeps the formation of mould, bacteria and algae under control
- It can reduce the use of chlorine and other chemicals by up to 80%
- It avoids the smell of chlorine and prevents irritation of the skin and eyes (red eyes)
- It is more environmentally friendly than traditional methods

With this system, your hot tub will have a clean and automatic system that eliminates bacteria, mould and algae and will protect your hot tub from germs without any kind of maintenance.

# Our range of hot tubs

### Essential Range

The Essential range seeks to balance functionality, performance and cost.



### Ocean Dreams Range

A range of hot tubs designed for the most demanding user. Ergonomic hot tubs with high performance and configuration options.

### Inground range

Our Inground hot tubs for private use are hydrotherapy systems designed to be built into the ground. They also come with a filtration system and sand filter.



### Swimspa Range

Swimspas are small residential pools. Versatile, powerful and compact. A health and wellness center available all year round.

### Commercial Range

Hot tubs designed for commercial premises such as gyms, wellness centres, hotels etc. A large range of options and finishes that meet every need. Hot tubs with an acrylic and mosaic finish.







## Ocean Dreams Range





### Chromatherapy centre

Carry out your chromatherapy sessions in the hot tub. The hot tub has 5 LED lights that light up the interior of the hot tub. Each of the hot tub's external controls light up in sync with the interior of the hot tub.



### High performance system

Each of the massage pumps has been designed to achieve maximum power and optimal consumption.

The hot tub has two powerful massage water pumps that feed the hot tub's 52 jets and 2 waterfalls and the 14 air relaxation nozzles.



### Atlantida 70 Hot Tub Our leading model

12 13

### BENEFITS

### Touch Panel

The TOUCH PANEL is a model that features an outstanding modern and minimalist design. The screen is made from high-quality materials with strong impact resistance and it is compatible with all Balboa control systems. The TOUCH PANEL button panel is intuitive and easy to use, offering a userfriendly experience, with various options to control the hot tub.



### Cabinet with a modern design

A sleek, even and screwless cabinet. The modern look of the Atlantida 70 Hot Tub cabinet is sure to impress. It is available in 4 different colours: Graphite, Thunder, Creek and Butterfly.











### Technical Information

	PURE NEW ART		EVOLUTION 70	ATLANTIDA 70	
	68450	68449	32474	62399	
General Specifications					
Dimensions (± 1 cm)	220 x 220 x 78 220 x 220 x 78		233 x 233 x 91	216 x 216 x 90	
Positions (Seats / Loungers)	4 (4 / -)	5 (3 / 2)	5 (3 / 2)	5 (3 / 2)	
Acrylic Colour	44-1	White	44-White	59-Sterling 72-Cameo Pearl	
Cabinet Colour	Solid Sur	face White		Graphite Thunder	
Without Cabinet	-	-	Optional	Optional	
Characteristics					
ECOSpa double thermal insulation	Yes	Yes	Optional	Optional	
Nordic Insulation System	Optional	Optional	Optional	Optional	
Bluetooth 4.1 audio system	Optional	Optional	Optional	Optional	
Lumiplus chromatherapy LED	Yes	Yes	Yes	Yes	
Stainless steel jets	Yes	Yes	Yes	Yes	
Stainless steel bar			Yes	Yes	
Wifi Spa Control	Optional Optional		Optional	Optional	
Blue Connect			Optional	Optional	
Features					
Stainless steel jets	27	28	56	52	
Air nozzles	12	14	16	14	
Waterfalls			-	2	
Headrests	2	3	3	3	
Control Spa	Touch Panel Touch Panel		Touch Panel + Auxiliary	Touch Panel	
Disinfection system	U.V. U.V.		U.V.	U.V.	
Aroma therapy	Yes -		Yes	Yes	
Chromatherapy	5 Leds + Illuminated Accessories				
Frame and Cover					
Heavy duty metal frame	Yes Yes		Yes	Yes	
Insulating ABS base	Yes Yes		Yes	Yes	
Isothermal cover	Yes	Yes	Yes Yes		
Equipment					
Filtration pump	200 W	200 W	200 W	200 W	
Massage pump	1,8 kW / 2 HP	1,8 kW / 2 HP	2 x 2,2 kW / 3 HP	2 x 1,8 kW / 2,5 HP	
Air massage pump	1.150 W	1.150 W	400 W	400 W	
Electric heating	3 kW	3 kW	3 kW	3 kW	
Electrical power and Capacity					
Low amp power required (W)	3.400 W	3.400 W	5.200 W	4.400 W	
Power required (A) at 230 V	14,6 A	14,6 A	22,4 A	19,1 A	
Voltage 230 V	Yes	Yes	Yes	Yes	
Water capacity	9751 9751		1.610	1.138	
Weight of hot tub (Empty/Full)	450 kg / 1.425 kg	450 kg / 1.425 kg	378 kg / 1.988 kg	327 kg / 1.227 kg	

	OCEAN DREAMS RANGE			
PACIFIC 70 69130	OCEAN 70 69863			
216 x 216 x 90	216 x 167 x 74			
6 (5 / 1)	3 (1 / 2)			
64-Pearl Shadow 46-Blue Marble	27-Silver			
Creek Butterfly				
Optional	Optional			
Yes	Yes			
Yes	Yes			
Yes	Yes			
Optional	Optional			
Optional	Optional			
51	42			
10	-			
2	-			
3	3			
Touch Panel	Touch Panel			
U.V.	U.V.			
Yes 5 Leds + Illuminated Accessories	- 5 Leds + Illuminated Accessories			
5 Leus + Indrinnated Accessories	5 Leds + Indifinitated Accessories			
Yes	Yes			
Yes	Yes			
Yes	Yes			
200 W	200 W			
2 x 1,8 kW / 2,5 HP	2,2kW / 3 HP			
400 W	-			
3 kW	3 kW			
4.400 W	3.400 W			
19,1 A	14,6 A			
Yes	Yes			
1.138	780			
327 kg / 1.465 kg	229 kg / 1.009 kg			

## Swimspa Range




Creta is the most compact Swimspa on the market. It has a large bathing space and a complete hydromassage area. At 4 metres long and 2.3 metres wide, it is spacious but compact hot tub: an all-in-one product.

### Swimspa Creta Our leading model



## Fitness, swimming and rowing

Turn your Swimspa into a health centre: do different exercises with the elastic bands, exercise your body in the rowing zone or comfortably swim inside it, using the pole and harness.



### BENEFITS

### Maximum Power and Performance

The Swimspa Creta is fitted with equipment that offers unbeatable performance. It is equipped with 54 jets, three massage massage pumps and a complete LED lighting system.



## A swimming pool for the whole year

The Swimspa Creta has a heating system that is perfect for maintaining the desired temperature throughout the year. Enjoy healthy bathing, fun times with your family or fitness sessions at home, with no limits.



Technical


Information







	DUAL	MEDITERRANEA	CRETA	СОМРАСТ	
	74238	64414	67203	69128	
General Specifications					
Dimensions (± 1 cm)	600 x 230 x 138	500 x 230 x 138	400 x 230 x 138	400 x 230 x 138	
Positions (Seats / Loungers)	1 vertical + 4 (2 / 2)	4 (2 / 2)	4 (2 / 1 / 1)	1 vertical	
Acrylic Colour		44-White 59-Sterling	46-Azul Mármol		
Cabinet Colour		Coastal Grey	Urban Grey		
Without Cabinet	Optional	Optional	Optional	Optional	
Characteristics					
ECOSpa double thermal insulation	Optional	Optional	Optional	Optional	
Bluetooth 4.1 audio system	Optional	Optional	Optional	Optional	
Lumiplus chromatherapy LED	Yes	Yes	Yes	Yes	
Stainless steel jets	Yes	Yes	Yes	Yes	
Stainless steel bar	Yes	Yes	Yes	Yes	
Blue Connect	Optional	Optional	Optional	Optional	
Features					
Stainless steel jets	12+5 Turbo Jets / 30 Jets	27+5 Turbo Jets	54+4 Turbo Jets	16+5 turbo jets	
Waterfalls	-	1	-	-	
Headrests	3	2	3	-	
Touch Panel	2	Principal + Auxiliary	Principal	Principal	
Disinfection system	Ultraviolet	Ultraviolet	Ultraviolet	Ultraviolet	
Chromatherapy	3 Leds / 5 Leds + Illuminated Accessories				
Rowing Kit	Optional cod. 74496	-	Optional	-	
Frame and Cover					
Heavy duty metal frame	Yes	Yes	Yes	Yes	
Insulating base	Yes	Yes	Yes	Yes	
Isothermal cover	Yes	Yes	Yes	Yes	
Equipment					
Filtration pump	400 W + 200 W	400 W	400 W	400 W	
Massage pump	3 x 2,2 kW / 3 HP + 2,2 kW /3 HP	3 x 2,2 kW / 3 HP	3 x 2,2 kW / 3 HP	3 x 2,2 KW / 3 HP	
Electric heating	3 kW	3 kW	3 kW	3 kW	
Electrical power and Capacity					
Low amp power required (W)	9.500 W	7.000 W	7.000 W	7.000 W	
Power required (A) at 230 V	41,3 A	30,5 A	30,5 A	30,5 A	
Voltage 230 V	Yes	Yes	Yes	Yes	
Water capacity	7.000	8.500	6.000 l	6.000 l	
Weight of hot tub (Empty/Full)	1.500 kg / 8.500 kg	1.177 kg / 9.677 kg	1.177 kg / 7.177 kg	1.150 kg / 7.150 kg	





## Essential Range





The Select E hot tub model has five seating positions and a fully-equipped lounger. A fully ergonomic model which provides a different massage in each of its positions. It has one waterfall for cervical massages and a complete reflexotherapy massage area where you can receive a full foot massage.

### Select E Hot Tub Our leading model



### A hot tub with basic equipment

The Select E hot tub and the models in the Essential range provide a balance between performance, features and cost.

Hot tubs with a basic format, designed to offer the user a customised thermal system.



### BENEFITS

### Ergonomics and design

Its design allows your figure to comfortably adapt to each of the hot tub's position. The lounger and seats have been designed for your comfort, with smooth lines and the necessary depth and inclination for high-quality bathing.



### Silent filtration

The filtration circuit is composed of a silent filtration system and a separate circuit, allowing the hot tub's water to be continuously filtered and cleaned at a low cost. The pump's low power consumption allows long periods of filtration. As it is a silent pump, this can be done at any time of the day.









# Technical Information

	SELECT E	EMOTION E	EQUILIBRE E	BALANCE E
	76894	69122	73076	74134
General Specifications				
Dimensions (± 1 cm)	216 x 216 x 90	216 x 216 x 90	216 x 167 x 74	198 x 198 x 74
Positions (Seats / Loungers)	6 (5 / 1)	5 (3 / 2)	3 (1 / 2)	5 (3 / 2)
Acrylic Colour	44-White 59-Sterling 72-Cameo Pearl	64-Pearl Shadow 46-Blue Marble 27-Silver	44-White	59-Sterling
Cabinet Colour	Graphite	Thunder	Infini	ity
Without Cabinet	Optional	Optional	Optional	Optional
Characteristics				
ECOSpa double thermal insulation	Optional	Optional	Optional	Optional
Bluetooth 2.1 audio system	Optional	Optional	-	Optional
Lumiplus chromatherapy LED	Optional (+2 LED)	Optional (+2 LED)	-	-
Stainless steel jets	Yes	Yes	Yes	Yes
Features				
Stainless steel jets	51	32	26	31
Air nozzles	-	12	-	12
Waterfalls	1	-	-	-
Headrests	3	3	3	3
Digital control panel	Balboa TP600	Balboa TP600	Balboa TP500	Balboa TP500
Disinfection system	Ozonator	Ozonator	Ozonator	Ozonator
Aromatherapy	-	-	-	-
Chromatherapy	1 LED	1 LED	1 LED	1 LED
Frame and Cover				
Heavy duty metal frame	Yes	Yes	Yes	Yes
Insulating ABS base	Yes	Yes	Yes	Yes
Isothermal cover	Yes	Yes	Yes	Yes
Equipment				
Filtration pump	200 W	200 W	-	-
Massage pump	2 x 1,8 kW / 2,5 HP	1,8 kW / 2,5 HP	1,8 kW / 2,5 HP (2 Vel)	1,8 kW / 2,5 HP (2 Vel)
Air massage pump	-	400 W	-	400 W
Electric heating	3 kW	3 kW	3 kW	3 kW
Electrical power and Capacity				
Low amp power required (W)	3.780 W	3.400 W	3.400 W	3.400 W
Power required (A) at 230 V	16,8 A	14,6 A	14,6 A	14,6 A
Voltage 230 V	Yes	Yes	Yes	Yes
Water capacity	930 l	930	780	935
Weight of hot tub (Empty/Full)	327 kg / 1.257 kg	327 kg / 1.257 kg	307 kg / 1.087 kg	246 kg / 1.181 kg





## Inground Range



A model designed for six people, with one lounger and five seats. Each position with unique hydromassage options. The hot tub allows you to enjoy a complete hydromassage circuit.

This hot tub for private use can be built into the ground or into decking. This model has a high-performance filtration system with a sand filter.

## Thalassa E Inground

Our leading model



### Proven ergonomics

One of our aims is to ensure that the soft shapes of hot tubs are perfectly moulded to the user's body. This model is shaped pleasantly for full-body comfort. Easy to access and with various depths to allow every user to find the right place for them.



### BENEFITS

### A spa

Enjoy each of the hot tub's positions. Whether you are seated or lying down, you'll find a different hydromassage option in each part of the hot tub. Relax and feel the comfort that you get from the foot massage. The option of enjoying a hydromassage and the temperature of the water will make this space a thermal paradise.



### Outstanding filtration

The filtration system's sand filter ensures excellent water filtration, so that your hot tub is always clean.







### Technical Information

	EVOLUTION 70 INGROUND	THALASSA E INGROUND	RONDA 30	
	49722	78678	49859	
General Specifications				
Dimensions (± 1 cm)	233 x 233 x 90	216 x 216 x 90	Ø205	
Positions (Seats / Loungers)	5 (3 / 2)	6 (5 / 1)	5 (5 / -)	
Water capacity	1.610	980	780	
Empty hot tub weight	378 kg	330 kg	307 kg	
Full hot tub weight	1.988 kg	1.310 kg	1.445 kg	
Cabinet Colour	44-White 59-Sterling	72-Perla Cameo 64-Pearl Shadow	46-Azul Mármol 27-Silver	
Characteristics				
Number of jets	56	28	20	
Air nozzles	16	16	10	
Waterfall	-	-	-	
Headrests	3	3	-	
Touch Panel	Principal + Auxiliary	1	1	
Chromatherapy LED spotlights	1 LED	1 LED	1 LED	
Stainless steel jets	Yes	Yes	Yes	
Stainless steel bar	-	-	-	
Frame and Cover				
Metal frame	Yes	Yes	Yes	
Insulating ABS base	Yes	Yes	Yes	
Isothermal cover	Yes	Yes	Yes	
Compact kit				
Code	49849CE000	41993CE000	41993CE000	
Filter	Ø 500	Ø 500	Ø 500	
Filtration pump	0,6 Kw	0,6 Kw	0,6 Kw	
Massage pump	2 x 2,2 Kw / 3 HP	1 x 1,8 Kw / 2,5 HP	1 x 1,8 Kw / 2,5 HP	
Air massage pump	900 w	900 w	900 w	
Electric heating	3 Kw	3 Kw	3 Kw	
Ozonator	Optional	Optional	Optional	
Low amp power required (W)	5.920 W	3.600 W	3.600 W	
Power required (A) at 230 V	25,7 A	15,7 A	15,7 A	
Voltage 230 V	230 V o 400 V III	230 V o 400 V III	230 V o 400 V III	

## Commercial Range



### High-quality finish

Each of the hot tubs in the Commercial range is manufactured with the finest materials to ensure the product's performance in your business.

### Systems with added value

The hot tubs in the Commercial range not only offer the customer a product designed for hydromassages. With its LED lighting options, it can be used as a genuine chromatherapy treatment centre.

### Professional filtration

The Commercial hot tubs' filtration systems are designed for intensive product use. The size of each pump ensures greater durability and reliability. Filtration is performed by professional filtration pumps and sand filters, in order to comply with the most stringent regulations.



The Olympia model hot tub is designed for highly demanding public facilities. It is the perfect model for anyone who wants to offer their customers a highquality massage by providing a large bathing space with different positions.

### Olympia Hot Tub Our leading model



	III III JAAN III						
Technical						And and and and	
Information	III market	·····					
	<u>e</u>						
	TOKYO 70	OLYMPIA	ROMA	COLISEUM	ODISEA 20	VERONA	MIRAGE 40 E
	53990	73587	40769	20141	45709	70550	44630
General Specifications							
Dimensions (± 1 cm)	340 X 240	365x280	Ø 300	Ø 297	Ø 230	228 x 228	Ø 250
Positions (Seats / Loungers)	7 (6 / 1)	12 (12 / -)	9 (9 / -)	10 (10 / -)	5 (5 / -)	5 (3 / 2)	6 (6 / -)
Water capacity	2.200	2,490	2.290	1.944	1.120	1.200	1.450
Empty hot tub weight	502 kg	373 kg	310 kg	224 kg	163 kg	147 kg	353 kg
Full hot tub weight	2.702 kg	2,863 kg	2.600 kg	2.168 kg	1.283 kg	1.347 kg	1.763 kg
Colour shell finish	44-W	Thite 46-Blue Marble 59-S	rerling	44-White 59-Ste	erling 72-Cameo Pearl 64-Pear	I Shadow 46-Blue Marble	A02 A72
Characteristics							
Number of jets	58	16	18	16	8	24	25
Air nozzles	21	16	18	18	10	12	12
Colour jets	Inox	White	White	White	White	White	Inox
Headrests	2	-	-	-	-	-	-
Waterfall	Optional	-	-	-	-	-	-
Spotlight	Yes	Optional	Yes	Optional	Optional	Yes	Yes
Chromatherapy LED spotlights	4 LED	Optional 1 LED	Optional 1 LED Yes	Optional 1 LED	Optional 1 LED	Optional 1 LED	Yes 1 LED
Metal frame Isothermal cover	Yes Optional	Yes Optional	Optional	Yes	Yes Optional	Yes	Yes
Piezoelectric push buttons	optional	2	2	Optional 2	2	Optional 2	Optional 2
Compact kit	Kit 75 3M	Z Kit 75 2M	Kit 75 2M	Z Kit 75 2M	Z Kit 50/75	Kit 75 2M	Z Kit 75 2M
Surge tank	KIL / J JIM	INIT / J ZIVI	NIC / J ZIVI	INIC / J ZIVI	KIL 50/75	INIC 7 J ZIVI	NIL 7 5 ZIVI
Surge tank	2.000  .	2.000 l.	2.000 l.	1.000 l.	1.000 l.	1.000 l.	1.000 l.
Hot tub filtration system	43639		16412		04015	16	412
Filter	Ø 650	Ø 650	Ø 650	Ø 650	Ø 500	Ø 650	Ø 650
Filtration pump	0,82 Kw	0,82 Kw	0,82 Kw	0,82 Kw	0,60 Kw	0,82 Kw	0,82 Kw
Massage pump (P1)	2 x1,81Kw+2,7 Kw	2 x 1,81 Kw	2 x 1,81 Kw	2 x 1,81 Kw	1,4 Kw	2 x 1,81 Kw	2 x 1,81 Kw
Blower pump	1,3 Kw	1,3 Kw	1,3 Kw	1,3 Kw	1,3 Kw	1,3 Kw	1,3 Kw
Electric heating	6 Kw	6 Kw	6 Kw	6 Kw	6 Kw	6 Kw	6 Kw
Ozonator	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Water/water heat exchanger 20 Kw	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Push Buttons / Control	Piezoelectric	Piezoelectric	Piezoelectric 11.802 W	Piezoelectric	Piezoelectric	Piezoelectric 11.802 W	Piezoelectric
Low amp power required (W)	14.485 W	11.760 W	18,9 A	11.802 W	9.362 W	18,9 A	11.760 W
Power required (A)	27,5 A 400 V III	18,9 A	400 V III	23 A 400 V III	18,1 A 400 V III	400 V III	18,9 A 400 V III
Voltage	400 V III	400 V III	HUU V III	400 V III	400 V III	TOO V III	400 V III





### leisurequip

Inspirational wellness experiences & equipment

### YOUR AUTHORISED DEALER AND INSTALLER FOR THE UK

## +44 (0)1428 713 185 sales@leisurequip.com

www.leisurequip.com